

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

Edit Transformations

Transformation Ports Properties Metadata Extensions

Select transformation: **fx_deptid_changed**

Transformation type: Expression

	Port Name	Datatype	Prec	Scale	I	O	V	Expression
1	empid	decimal	10	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	empid
2	deptid	decimal	10	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	deptid
3	ename	string	32	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ename
4	sal	decimal	10	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	sal
5	deptid_changed	integer	10	0	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	deptid != prev_deptid
6	prev_deptid	decimal	10	0	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	deptid

Default value:

Description:

OK Cancel Apply Help

FIG. 6




FIG. 7




FIG. 8




FIG. 9

Edit Transformations

Transformation Ports Properties Condition Metadata Extensions

Select transformation: **join_deptid**

Transformation type: **Joiner**

Transformation Attribute	Value
Case Sensitive String Comparison	<input checked="" type="checkbox"/>
Cache Directory	\$PMCacheDir
Join Condition	deptid = deptid1
Join Type	Normal Join
Null ordering in master	Null Is Highest Value
Null ordering in detail	Null Is Highest value
Tracing Level	Normal
Joiner Data Cache Size	2000000
Joiner Index Cache Size	1000000
Sorted Input	<input checked="" type="checkbox"/>
Transformation Scope	Transaction

Case Sensitive String Comparison

Case sensitive string comparison

OK Cancel Apply Help

FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15

Edit Transformations

Transformation	Ports	Properties	Initialization Properties	Metadata Extensions	◀	▶	
Select transformation: <input checked="" type="checkbox"/> parse_orders						Port Attribute Definition	
Transformation type: XML PARSER							
Transformation Attribute	Value						
Module Identifier	pmmidxmlldr						
Function Identifier	PMXMLMGEPReadr						
Runtime Location	\$PMExtProcDir						
Tracing Level	Normal						
Is Partitionable	<input checked="" type="checkbox"/>						
Inputs Must Block	<input type="checkbox"/>						
Is Active	<input checked="" type="checkbox"/>						
Update Strategy Transformation	<input type="checkbox"/>						
Transformation Scope	Row						
Generate Transaction	<input type="checkbox"/>						
Module Identifier							
The name of the DLL or shared library containing the procedure.							
OK			Cancel		Apply		Help

FIG. 16




FIG. 17




FIG. 18




FIG. 19